

L Number	Hits	Search Text	DB	Time stamp
-	1013	(cach\$7 same (compil\$4 or translat\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 16:36
-	405	(cache near4 circuitry) and (cache near5 level\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 17:02
-	15	(mark\$1 or tag\$1 or select\$4 or determin\$5) near5 (cacheable adj4 (portion\$1 or segment\$1 or instruction\$1 or code or program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 16:39
-	56	mark\$5 same ((direct\$4 or stor\$4 or send\$4 or put\$4) near5 ((first or second) adj3 cache))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 12:27
-	59	4885680.URPN.	USPAT	2003/04/05 16:45
-	526	(cache near5 manag\$6) and (compil\$6 near6 (program or code or develop\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 16:50
-	111	((two near3 level\$1) near5 cache) and ((mark\$4 or select\$4 or determin\$5) same (cacheability or cacheable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 16:52
-	2346	(during near4 (compil\$6 or execution)) and ((determin\$4 or select\$4) near5 cache\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 13:05
-	22	((((during near4 (compil\$6 or execution)) and ((determin\$4 or select\$4) near5 cache\$8)) and ((cache near5 manag\$6) and (compil\$6 near6 (program or code or develop\$6)))) and (compil\$6 and (cacheability or cacheable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 17:00
-	18	((((during near4 (compil\$6 or execution)) and ((determin\$4 or select\$4) near5 cache\$8)) and ((cache near5 manag\$6) and (compil\$6 near6 (program or code or develop\$6)))) and (compil\$6 and (cacheability or cacheable))) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 17:01
-	18992	(cache same ((circuitry or bus) or (object adj3 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 12:23
-	58	((cacheability near5 determin\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:16
-	8759	cache near4 (circuitry or bus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 12:23
-	80	((mark\$4 near6 code) same (cache\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 12:26

-	56	mark\$5 same ((direct\$4 or stor\$4 or send\$4 or put\$4) near5 ((first or second) adj3 cache))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 12:28
-	2346	(during near4 (compil\$6 or execution)) and ((determin\$4 or select\$4) near5 cache\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 13:06
-	3	((bus or cache or memory) adj2 (interface or control or manag\$7)) same ((cache\$6 near4 determin\$4) near3 execution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 15:19
-	199	(profiling or marking or ((compil\$4 near3 time) near5 determin\$6)) same (((load\$4 or send\$4 or fetch\$4 or stor\$4) near3 cache) or cacheability)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 15:18
-	212	(bus adj2 interface) and ((cache\$6 near7 determin\$4) same (execution or compilation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 15:21
-	3113	(instrument\$6 or profil\$4 or (code near3 mark\$4)) and ((cacheability near4 determin\$4) or (cache near8 (stor\$4 or writ\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:26
-	2810	((instrument\$6 or profil\$4 or (code near3 mark\$4)) and ((cacheability near4 determin\$4) or (cache near8 (stor\$4 or writ\$4))) and ((cache near8 (stor\$4 or writ\$4)) and (profil\$4 or instrument\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:29
-	215	(instructions near3 cache) same ((execution or compilation) adj3 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:34
-	146	((cache\$5 adj2 bit) near8 (instruction\$1)) and (((instrument\$5 or profil\$4) near7 (intermediate adj2 code)) or (cacheab\$5 or (write adj2 (back or through))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:48
-	26	((associative or (two near2 level)) near3 cache\$1) and (write adj2 (back or through)) and (profil\$5 and compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:09
-	16	((associative or (two near2 level)) near3 cache\$1) and (write adj2 (back or through)) and (compiler and instrument\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:10
-	58	((cacheability near5 determin\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:16
-	4	((mark\$4 or tag\$4 or instrument\$5) near4 (instruction\$1 or code)) same cache\$6) and ((intermediate adj code) and compil\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:22
-	65	(cache near4 (conflict\$1 or miss\$2)) and ((profil\$4 or instrument\$5) same ((intermediate adj code) or compilation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:27

-	24	((reduc\$5 or minimi\$5) near4 (cache near3 thrash\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:53
-	21	((((reduc\$5 or minimi\$5) near4 (cache near3 thrash\$4)).ab.) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 11:09
-	2	((((cache near4 (conflict\$1 or miss\$2)) and ((profil\$4 or instrument\$5) same ((intermediate adj code) or compilation))) or (((reduc\$5 or minimi\$5) near4 (cache near3 thrash\$4)).ab.) and (@ad<=20000830 or @rlad<=20000830)) or (((mark\$4 or tag\$4 or instrument\$5) near4 (instruction\$1 or code)) same cache\$6) and ((intermediate adj code) and compil\$6))) and ((((cache\$5 adj2 bit) near8 (instruction\$1)) and (((instrument\$5 or profil\$4) near7 (intermediate adj2 code)) or (cacheab\$5 or (write adj2 (back or through)))) or (((associative or (two near2 level)) near3 cache\$1) and (write adj2 (back or through)) and ((intermediate adj code) and compiler)) or (((associative or (two near2 level)) near3 cache\$1) and (write adj2 (back or through)) and (profil\$5 and compiler)) or (((associative or (two near2 level)) near3 cache\$1) and (write adj2 (back or through)) and (compiler and instrument\$4))) or (((cacheability near5 determin\$6))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:52
-	114	(cacheab\$5 and non-cacheab\$5) and (profil\$4 or instrument\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 12:18
-	190	((((reduc\$5 or minimi\$5) near4 (cache near3 thrash\$4)) or (cache\$6 and non-cache\$6)) and (profil\$4 or instrument\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 12:16
-	20	((profil\$5 or instrument\$6) same compil\$7) and (cacheab\$6 or (cache adj3 thrash\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 16:57
-	18	((((profil\$5 or instrument\$6) same compil\$7) and (cacheab\$6 or (cache adj3 thrash\$5))) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:09
-	80	((reduc\$5 or minimi\$5) near4 (cache near3 thrash\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:53
-	6	((profil\$5 or instrument\$6) and recompil\$7) and (cacheable and non-cacheable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 15:00
-	2848	(717/140-145,158; 712/227,239,240;711/138;710/22; 713/502).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 16:59

-	157	((code or bit) marking) same cacheability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 16:55
-	8	((code or bit\$1 or instruction\$1) adj2 mark\$3) same cacheab\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 15:32
-	6	((code or bit\$1 or instruction\$1) adj2 mark\$3) same cacheab\$5) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 16:56
-	29	(@ad<=20000830 or @rlad<=20000830) and (profile adj (based or driven or derived or guided)) and (profile-based or profile-driven or profile-guided) and ((cache (hit or miss)) or ((stor\$5 or put or written) near8 cache)) and recompile\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 10:16
-	29	(@ad<=20000830 or @rlad<=20000830) and (profile near5 (based or driven or derived or guided)) and (profile-based or profile-driven or profile-guided) and ((cache (hit or miss)) or ((stor\$5 or put or written) near8 cache)) and recompile\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 11:52
-	23	(@ad<=20000830 or @rlad<=20000830) and (profile near5 (based or driven or derived or guided)) and (profile-based or profile-driven or profile-guided) and ((cache adj4 (hit or miss)) or ((stor\$5 or put or written) near8 cache)) and recompile\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 10:18
-	232	(@ad<=20000830 or @rlad<=20000830) and (simulat\$5 or ((profile or statistic\$5 or ((runtime or dynamic\$5) near5 data) near5 (collect\$4 or gather\$4)))) and ((cache adj4 (hit or miss)) or ((stor\$5 or put or written) near8 cache)) and recompile\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:19
-	12	((@ad<=20000830 or @rlad<=20000830) and (simulat\$5 or ((profile or statistic\$5 or ((runtime or dynamic\$5) near5 data) near5 (collect\$4 or gather\$4)))) and ((cache adj4 (hit or miss)) or ((stor\$5 or put or written) near8 cache)) and recompile\$5) and ((optimi\$5 or recompile\$4) same (profile and cache)).ab. or ((optimi\$5 or recompile\$4) same (profile and cache)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 10:23
-	3	((@ad<=20000830 or @rlad<=20000830) and (profile near5 (based or driven or derived or guided)) and (profile-based or profile-driven or profile-guided) and ((cache adj4 (hit or miss)) or ((stor\$5 or put or written) near8 cache)) and recompile\$5) and (((@ad<=20000830 or @rlad<=20000830) and (simulat\$5 or ((profile or statistic\$5 or ((runtime or dynamic\$5) near5 data) near5 (collect\$4 or gather\$4)))) and ((cache adj4 (hit or miss)) or ((stor\$5 or put or written) near8 cache)) and recompile\$5) and ((optimi\$5 or recompile\$4) same (profile and cache)).ab. or ((optimi\$5 or recompile\$4) same (profile and cache)).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 10:26

-	1	(profile same recompil\$5 same "code cache") and 717/\$ and optimi\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 10:31
-	20	((("to cache" or "code cache" or "in cache") same instruction same (determin\$4 or tagged or marked)) and 717/\$ and optimi\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 10:31
-	7	(profile same recompil\$5 same cache) and 717/\$ and optimi\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 11:21
-	4	((("5727167") or ("5748855")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 11:48
-	1	(Hwu or McFarling).in. and (cache same optimi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 11:50
-	73	(Hwu or McFarling or Wang or Zhang or Torrellas).in. and (cache same (optimi\$6 or profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 11:51
-	2	(@ad<=20000830 or @rlad<=20000830) and ((Hwu or McFarling or Wang or Zhang or Torrellas).in. and (cache same (optimi\$6 or profile))) and recompil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 11:14
-	4	(@ad<=20000830 or @rlad<=20000830) and ((Hwu or McFarling or Wang or Zhang or Torrellas).in. and (cache same (optimi\$6 or profile))) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 13:05
-	55	((tagg\$4 or mark\$4 or cacheab\$6) near3 (bit or opcode or field)) same (compiler or compilation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:16
-	5	(@ad<=20000830 or @rlad<=20000830) and (((tagg\$4 or mark\$4 or cacheab\$6) near3 (bit or opcode or field)) same (compiler or compilation)) and ((cache adj4 (hit or miss)) or ((stor\$5 or put or written) near8 cache)) and recompil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:13
-	6	(@ad<=20000830 or @rlad<=20000830) and (((tagg\$4 or mark\$4 or cacheab\$6) near3 (bit or opcode or field)) same (compiler or compilation)) and ((cache adj4 (stor\$4 or code or instruction)) or ((stor\$5 or put or written) near8 cache)) and recompil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:18
-	5	((@ad<=20000830 or @rlad<=20000830) and (((tagg\$4 or mark\$4 or cacheab\$6) near3 (bit or opcode or field)) same (compiler or compilation)) and ((cache adj4 (hit or miss)) or ((stor\$5 or put or written) near8 cache)) and recompil\$5) and ((@ad<=20000830 or @rlad<=20000830) and (((tagg\$4 or mark\$4 or cacheab\$6) near3 (bit or opcode or field)) same (compiler or compilation)) and ((cache adj4 (stor\$4 or code or instruction)) or ((stor\$5 or put or written) near8 cache)) and recompil\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:13

-	5205	((tagg\$4 or mark\$4 or indicat\$4) near3 (bit or opcode or field or operand)) same (cache or cacheab\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:39
-	733	(@ad<=20000830 or @rlad<=20000830) and (((tagg\$4 or mark\$4 or indicat\$4) near3 (bit or opcode or field or operand)) same (cache or cacheab\$5)) and ((cache adj4 (stor\$4 or code or instruction)) or ((stor\$5 or put or written) near8 cache)) and (recompil\$5 or profile or (optimi\$5 same cache))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:19
-	232	(@ad<=20000830 or @rlad<=20000830) and (simulat\$5 or ((profile or statistic\$5 or ((runtime or dynamic\$5) near5 data) near5 (collect\$4 or gather\$4)))) and ((cache adj4 (hit or miss)) or ((stor\$5 or put or written) near8 cache)) and recompil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:20
-	1602	((tagg\$4 or mark\$4 or indicat\$4) near3 (bit or opcode or field or operand)) same (compiling or compilation or compiler or static)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:40
-	90	((tagg\$4 or mark\$4 or indicat\$4) near3 (bit or opcode or field or operand)) same (compiling or compilation or compiler or static)) and (cache near8 (optimi\$6 or improv\$6 or profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:41
-	147	((tagg\$4 or mark\$4 or indicat\$4) near3 (bit or opcode or field or operand)) same (compiling or compilation or compiler or static)) and (cache same (optimi\$6 or improv\$6 or profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:41
-	4	((@ad<=20000830 or @rlad<=20000830) and (simulat\$5 or ((profile or statistic\$5 or ((runtime or dynamic\$5) near5 data) near5 (collect\$4 or gather\$4)))) and ((cache adj4 (hit or miss)) or ((stor\$5 or put or written) near8 cache)) and recompil\$5) and (((tagg\$4 or mark\$4 or indicat\$4) near3 (bit or opcode or field or operand)) same (compiling or compilation or compiler or static)) and (cache same (optimi\$6 or improv\$6 or profile))) and recompil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:42
-	4	((@ad<=20000830 or @rlad<=20000830) and (simulat\$5 or ((profile or statistic\$5 or ((runtime or dynamic\$5) near5 data) near5 (collect\$4 or gather\$4)))) and ((cache adj4 (hit or miss)) or ((stor\$5 or put or written) near8 cache)) and recompil\$5) and (((tagg\$4 or mark\$4 or indicat\$4) near3 (bit or opcode or field or operand)) same (compiling or compilation or compiler or static)) and (cache same (optimi\$6 or improv\$6 or profile)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 13:02
-	1	cacheability near5 ((instruction or opcode or bit) near3 mark\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 13:04
-	6	cacheab\$7 near5 ((instruction or opcode or bit) near3 mark\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 13:04

-	6	(@ad<=20000830 or @rlad<=20000830) and (cacheab\$7 near5 ((instruction or opcode or bit) near3 mark\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/09/07 15:33
-	2	6356996.URPN.	USPAT	2004/09/07 13:09
-	7	("5247648" "5829030" "5860111" "5895485" "5958045" "6119205" "6356996").PN.	USPAT	2004/09/07 13:16
-	1	((("5247648" "5829030" "5860111" "5895485" "5958045" "6119205" "6356996").PN.) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 14:39
-	8	((code or bit\$1 or instruction\$1) adj2 mark\$3) same cacheab\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 15:33
-	5	(@ad<=20000830 or @rlad<=20000830) and (cacheab\$7 near5 ((instruction or opcode or bit) near3 mark\$4)) and (((code or bit\$1 or instruction\$1) adj2 mark\$3) same cacheab\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 16:15
-	3	((code or bit\$1 or instruction\$1) adj2 mark\$3) same cacheab\$5) not ((@ad<=20000830 or @rlad<=20000830) and (cacheab\$7 near5 ((instruction or opcode or bit) near3 mark\$4)) and (((code or bit\$1 or instruction\$1) adj2 mark\$3) same cacheab\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 15:33
-	5	((US-6338119-\$ or US-6314561-\$ or US-5838946-\$ or US-5754820-\$ or US-4885680-\$ or US-5752262-\$ or US-5793941-\$ or US-5930821-\$ or US-5768592-\$ or US-5655122-\$ or US-5862385-\$ or US-6272599-\$ or US-6397379-\$ or US-6473832-\$ or US-6442635-\$ or US-6415360-\$ or US-6513107-\$ or US-6487639-\$ or US-6134710-\$ or US-5768500-\$ or US-6308322-\$ or US-5835963-\$ or US-5745728-\$ or US-6014723-\$ or US-4622631-\$ or US-6085338-\$).did. or (US-5765037-\$ or US-5021945-\$ or US-6622300-\$ or US-6115809-\$ or US-6301652-\$ or US-5748855-\$ or US-6681387-\$ or US-6463582-\$ or US-5226133-\$ or US-5625793-\$ or US-6356996-\$ or US-6119205-\$ or US-5958045-\$ or US-5980096-\$).did. or (US-20030066056-\$ or US-20020040421-\$ or US-20020032719-\$ or US-20020078268-\$ or US-20040003384-\$).did. or (NB9203401).tban.) and (write-through and write-back)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 16:12
-	61	(marker or (instruction (tag or bit or field))) near5 (indicat\$4 near3 (write-through or write-back))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 16:14
-	0	(marker or (instruction near2 (tag or bit or field))) near5 (indicat\$4 near3 (write-through or write-back))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 16:15
-	4	(marker or (instruction near2 (tag or bit or field))) same (indicat\$4 near3 (write-through or write-back))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 16:15

-	33	((@ad<=20000830 or @rlad<=20000830) and ((marker or (instruction (tag or bit or field))) near5 (indicat\$4 near3 (write-through or write-back))) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 08:09
-	29	((@ad<=20000830 or @rlad<=20000830) and ((marker or (instruction (tag or bit or field))) near5 (indicat\$4 near3 (write-through or write-back))) and compiler) and optimi\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 16:26
-	9	("4429363" "5386547" "5579493" "5623627" "5721864" "5724549" "5774685" "5809522" "5829038").PN.	USPAT	2004/09/07 16:17
-	60	5386547.URPN.	USPAT	2004/09/07 16:26
-	4	5386547.URPN. and ((compiler same optimi\$4) or (recompil\$4 same profil\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 16:50
-	2	((static or compiler) and instruction) near6 (bit near3 mark\$4) and ((cache or write-back or write-through) same (control or optimi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 16:47
-	59	4885680.URPN.	USPAT	2004/09/07 16:49
-	1	4885680.URPN. and ((compiler same optimi\$4) or (recompil\$4 same profil\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 16:54
-	7	("4885680" "5185878" "5303377" "5339419" "5355491" "5371865" "5404484").PN.	USPAT	2004/09/07 16:54
-	1	((("4885680" "5185878" "5303377" "5339419" "5355491" "5371865" "5404484").PN.) and ((compiler same optimi\$4) or (recompil\$4 and profil\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 16:55
-	143	((end or last or indicator) adj2 bit) same (instruction near4 (insert\$4 or add\$4 or field)) and (cache near8 (control or optimi\$6 or (hit and miss) or write-through or write-back))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 08:08
-	36	((@ad<=20000830 or @rlad<=20000830) and ((end or last or indicator) adj2 bit) same (instruction near4 (insert\$4 or add\$4 or field)) and (cache near8 (control or optimi\$6 or (hit and miss) or write-through or write-back))) and (optimi\$6 and compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 08:14
-	0	((@ad<=20000830 or @rlad<=20000830) and ((marker or (instruction (tag or bit or field))) near5 (indicat\$4 near3 (write-through or write-back))) and compiler) and ((@ad<=20000830 or @rlad<=20000830) and ((end or last or indicator) adj2 bit) same (instruction near4 (insert\$4 or add\$4 or field)) and (cache near8 (control or optimi\$6 or (hit and miss) or write-through or write-back))) and (optimi\$6 and compiler))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 08:10

-	82	((end or last or indicator) adj2 bit) same (instruction near4 (insert\$4 or add\$4 or field)) and (cache near8 (control or optimi\$6 or (hit and miss) or write-through or write-back))) not ((@ad<=20000830 or @rlad<=20000830) and (((end or last or indicator) adj2 bit) same (instruction near4 (insert\$4 or add\$4 or field)) and (cache near8 (control or optimi\$6 or (hit and miss) or write-through or write-back))) and (optimi\$6 and compiler)) and (717/\$ or 711/\$ or 712/\$) and (cache near8 (control or optimi\$6 or write-through or write-back)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 08:13
-	1	((end or last or indicator) adj2 bit) same (instruction near4 (insert\$4 or add\$4 or field)) and (cache near8 (control or optimi\$6 or (hit and miss) or write-through or write-back))) not ((@ad<=20000830 or @rlad<=20000830) and (((end or last or indicator) adj2 bit) same (instruction near4 (insert\$4 or add\$4 or field)) and (cache near8 (control or optimi\$6 or (hit and miss) or write-through or write-back))) and (optimi\$6 and compiler)) and (717/\$ or 711/\$ or 712/\$) and (cache near8 (control or optimi\$6 or write-through or write-back))) and ((compiler and instrument\$5) or (recompil\$4 and profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 08:12
-	64	(@ad<=20000830 or @rlad<=20000830) and (((end or last or indicator) adj2 bit) same (instruction near4 (insert\$4 or add\$4 or field)) and (cache near8 (control or optimi\$6 or (hit and miss) or write-through or write-back))) not ((@ad<=20000830 or @rlad<=20000830) and (((end or last or indicator) adj2 bit) same (instruction near4 (insert\$4 or add\$4 or field)) and (cache near8 (control or optimi\$6 or (hit and miss) or write-through or write-back))) and (optimi\$6 and compiler)) and (717/\$ or 711/\$ or 712/\$) and (cache near8 (control or optimi\$6 or write-through or write-back))) and (717/\$ or 712/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 10:48
-	1	((("L1" or "L2" or lower or upper) adj2 cache) near3 (indicat\$5 near2 bit)) same (instruction near4 (field or insert\$5 or add\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 08:29
-	1	((("5305389" "5357618" "5704053" "5732242" "5742804" "5774685" "5778435" "5809566" "5838945" "5854934" "5896517" "5918246" "5919256" "6055621" "6065115" "6212603").PN.) and compil\$4 and (instrumentation or profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 08:31
-	8	((compiler or profile) near5 (cache adj4 optimi\$4)) and ((bit or field) same (indicat\$4 or tagg\$4 or mark\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 08:34
-	33	(@ad<=20000830 or @rlad<=20000830) and ((marker or (instruction (tag or bit or field))) near5 (indicat\$4 near3 (write-through or write-back))) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 09:24

-	64	((@ad<=20000830 or @rlad<=20000830) and (((end or last or indicator) adj2 bit) same (instruction near4 (insert\$4 or add\$4 or field)) and (cache near8 (control or optimi\$6 or (hit and miss) or write-through or write-back))) not ((@ad<=20000830 or @rlad<=20000830) and (((end or last or indicator) adj2 bit) same (instruction near4 (insert\$4 or add\$4 or field)) and (cache near8 (control or optimi\$6 or (hit and miss) or write-through or write-back))) and (optimi\$6 and compiler)) and (717/\$ or 711/\$ or 712/\$) and (cache near8 (control or optimi\$6 or write-through or write-back))) and (717/\$ or 712/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 11:19
-	27	((prefix or suffix) near4 instruction) same ((cache or indicat\$5) near8 (miss or (stor\$4 near5 cache) or write-through or write-back))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 11:19
-	22	((@ad<=20000830 or @rlad<=20000830) and (((prefix or suffix) near4 instruction) same ((cache or indicat\$5) near8 (miss or (stor\$4 near5 cache) or write-through or write-back)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 11:38
-	9	5822778.URPN.	USPAT	2004/09/08 11:32
-	1	6253309.URPN.	USPAT	2004/09/08 11:37
-	2	((("5057837" "5586277" "5758114" "5774710" "5809273" "5822778" "5832299" "5896519" "5905893" "5925124" "5933642" "5948100" "5951671" "5958046" "5978906" "5983334" "5991869" "6012125" "6014735" "6016545" "6023756" "6035387" "6038645" "6049863" "6061786").PN.) and compiler and cache and optimi\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 11:44
-	2	5704053.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 11:56
-	7	(((@ad<=20000830 or @rlad<=20000830) and (((prefix or suffix) near4 instruction) same ((cache or indicat\$5) near8 (miss or (stor\$4 near5 cache) or write-through or write-back)))) or (((("5057837" "5586277" "5758114" "5774710" "5809273" "5822778" "5832299" "5896519" "5905893" "5925124" "5933642" "5948100" "5951671" "5958046" "5978906" "5983334" "5991869" "6012125" "6014735" "6016545" "6023756" "6035387" "6038645" "6049863" "6061786").PN.) and compiler and cache and optimi\$6) or (((prefix or suffix) near4 instruction) same ((cache or indicat\$5) near8 (miss or (stor\$4 near5 cache) or write-through or write-back)))) and (compiler near8 (insert\$5 or expand\$4 or extend\$4 or add\$5 or instrument\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 11:57

-	14	((US-5752262-\$ or US-6681387-\$ or US-6622300-\$ or US-6513107-\$ or US-6487639-\$ or US-6473832-\$ or US-6463582-\$ or US-6442635-\$ or US-6415360-\$ or US-6397379-\$ or US-6356996-\$ or US-6338119-\$ or US-6314561-\$ or US-6308322-\$ or US-6301652-\$ or US-6272599-\$ or US-6134710-\$ or US-6119205-\$ or US-6115809-\$ or US-6085338-\$ or US-6014723-\$ or US-5980096-\$ or US-5958045-\$ or US-5930821-\$ or US-5862385-\$ or US-5838946-\$).did. or (US-5835963-\$ or US-5793941-\$ or US-5768592-\$ or US-5768500-\$ or US-5765037-\$ or US-5754820-\$ or US-5748855-\$ or US-5745728-\$ or US-5655122-\$ or US-5625793-\$ or US-5226133-\$ or US-5021945-\$ or US-4885680-\$ or US-4622631-\$ or US-6253286-\$ or US-6249911-\$ or US-5829038-\$ or US-5386547-\$ or US-6349365-\$ or US-5822778-\$ or US-6253309-\$ or US-5704053-\$).did. or (US-20040003384-\$ or US-20030066056-\$ or US-20020078268-\$ or US-20020040421-\$ or US-20020032719-\$).did. or (EP-743598-\$).did. or (NB9203401).tban.) and (bus adj2 (interface or unit)) and (cache near8 ("L1" or "L2" or level or upper or lower))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:21
-	8	(((US-5752262-\$ or US-6681387-\$ or US-6622300-\$ or US-6513107-\$ or US-6487639-\$ or US-6473832-\$ or US-6463582-\$ or US-6442635-\$ or US-6415360-\$ or US-6397379-\$ or US-6356996-\$ or US-6338119-\$ or US-6314561-\$ or US-6308322-\$ or US-6301652-\$ or US-6272599-\$ or US-6134710-\$ or US-6119205-\$ or US-6115809-\$ or US-6085338-\$ or US-6014723-\$ or US-5980096-\$ or US-5958045-\$ or US-5930821-\$ or US-5862385-\$ or US-5838946-\$).did. or (US-5835963-\$ or US-5793941-\$ or US-5768592-\$ or US-5768500-\$ or US-5765037-\$ or US-5754820-\$ or US-5748855-\$ or US-5745728-\$ or US-5655122-\$ or US-5625793-\$ or US-5226133-\$ or US-5021945-\$ or US-4885680-\$ or US-4622631-\$ or US-6253286-\$ or US-6249911-\$ or US-5829038-\$ or US-5386547-\$ or US-6349365-\$ or US-5822778-\$ or US-6253309-\$ or US-5704053-\$).did. or (US-20040003384-\$ or US-20030066056-\$ or US-20020078268-\$ or US-20020040421-\$ or US-20020032719-\$).did. or (EP-743598-\$).did. or (NB9203401).tban.) and (bus adj2 (interface or unit)) and (cache near8 ("L1" or "L2" or level or upper or lower))) and (compiler or optimi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:21

-	5	((US-5752262-\$ or US-6681387-\$ or US-6622300-\$ or US-6513107-\$ or US-6487639-\$ or US-6473832-\$ or US-6463582-\$ or US-6442635-\$ or US-6415360-\$ or US-6397379-\$ or US-6356996-\$ or US-6338119-\$ or US-6314561-\$ or US-6308322-\$ or US-6301652-\$ or US-6272599-\$ or US-6134710-\$ or US-6119205-\$ or US-6115809-\$ or US-6085338-\$ or US-6014723-\$ or US-5980096-\$ or US-5958045-\$ or US-5930821-\$ or US-5862385-\$ or US-5838946-\$).did. or (US-5835963-\$ or US-5793941-\$ or US-5768592-\$ or US-5768500-\$ or US-5765037-\$ or US-5754820-\$ or US-5748855-\$ or US-5745728-\$ or US-5655122-\$ or US-5625793-\$ or US-5226133-\$ or US-5021945-\$ or US-4885680-\$ or US-4622631-\$ or US-6253286-\$ or US-6249911-\$ or US-5829038-\$ or US-5386547-\$ or US-6349365-\$ or US-5822778-\$ or US-6253309-\$ or US-5704053-\$).did. or (US-20040003384-\$ or US-20030066056-\$ or US-20020078268-\$ or US-20020040421-\$ or US-20020032719-\$).did. or (EP-743598-\$).did. or (NB9203401).tban.) not (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/08 14:57
-	4	"bus interface unit" and (cache near5 (latency o write-through or optimi\$6)) and ((instrumentat\$4 and ((execut\$5 or runtime) near8 collect\$4)) or (recompil\$4 and profile))	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/08 14:56
-	3	"bus interface unit" and (cache near5 (latency or write-through or optimi\$6)) and ((instrumentat\$4 and ((execut\$5 or runtime) near8 collect\$4)) or (recompil\$4 and profile))	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/08 14:57
-	4	("bus interface unit" and (cache near5 (latency o write-through or optimi\$6)) and ((instrumentat\$4 and ((execut\$5 or runtime) near8 collect\$4)) or (recompil\$4 and profile))) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/08 14:58
-	8	((US-5752262-\$ or US-6681387-\$ or US-6622300-\$ or US-6513107-\$ or US-6487639-\$ or US-6473832-\$ or US-6463582-\$ or US-6442635-\$ or US-6415360-\$ or US-6397379-\$ or US-6356996-\$ or US-6338119-\$ or US-6314561-\$ or US-6308322-\$ or US-6301652-\$ or US-6272599-\$ or US-6134710-\$ or US-6119205-\$ or US-6115809-\$ or US-6085338-\$ or US-6014723-\$ or US-5980096-\$ or US-5958045-\$ or US-5930821-\$ or US-5862385-\$ or US-5838946-\$).did. or (US-5835963-\$ or US-5793941-\$ or US-5768592-\$ or US-5768500-\$ or US-5765037-\$ or US-5754820-\$ or US-5748855-\$ or US-5745728-\$ or US-5655122-\$ or US-5625793-\$ or US-5226133-\$ or US-5021945-\$ or US-4885680-\$ or US-4622631-\$ or US-6253286-\$ or US-6249911-\$ or US-5829038-\$ or US-5386547-\$ or US-6349365-\$ or US-5822778-\$ or US-6253309-\$ or US-5704053-\$).did. or (US-20020032719-\$).did. or (EP-743598-\$).did. or (NB9203401).tban.) and cache and profile and recompil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 17:21

-	2	6205545.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 17:21
-	8	((US-6681387-\$ or US-6513107-\$ or US-6622300-\$ or US-6487639-\$ or US-6473832-\$ or US-6442635-\$ or US-6463582-\$ or US-6415360-\$ or US-6397379-\$ or US-6356996-\$ or US-6349365-\$ or US-6314561-\$ or US-6338119-\$ or US-6308322-\$ or US-6272599-\$ or US-6301652-\$ or US-6253286-\$ or US-6253309-\$ or US-6134710-\$ or US-6249911-\$ or US-6119205-\$ or US-6085338-\$ or US-6115809-\$ or US-5930821-\$ or US-5958045-\$ or US-5980096-\$).did. or (US-5862385-\$ or US-5838946-\$ or US-5835963-\$ or US-5829038-\$ or US-5822778-\$ or US-5793941-\$ or US-5768592-\$ or US-5768500-\$ or US-5765037-\$ or US-5754820-\$ or US-5752262-\$ or US-5748855-\$ or US-6014723-\$ or US-5704053-\$ or US-5745728-\$ or US-5386547-\$ or US-5021945-\$ or US-5226133-\$ or US-4885680-\$ or US-4622631-\$ or US-6205545-\$ or US-5655122-\$ or US-5625793-\$).did. or (US-20020032719-\$).did. or (EP-743598-\$).did. or (NB9203401).tban.) not (((US-6681387-\$ or US-6513107-\$ or US-6622300-\$ or US-6487639-\$ or US-6473832-\$ or US-6442635-\$ or US-6463582-\$ or US-6415360-\$ or US-6397379-\$ or US-6356996-\$ or US-6349365-\$ or US-6314561-\$ or US-6338119-\$ or US-6308322-\$ or US-6272599-\$ or US-6301652-\$ or US-6253286-\$ or US-6253309-\$ or US-6134710-\$ or US-6249911-\$ or US-6119205-\$ or US-6085338-\$ or US-6115809-\$ or US-5930821-\$ or US-5958045-\$ or US-5980096-\$).did. or (US-5862385-\$ or US-5838946-\$ or US-5835963-\$ or US-5829038-\$ or US-5822778-\$ or US-5793941-\$ or US-5768592-\$ or US-5768500-\$ or US-5765037-\$ or US-5754820-\$ or US-5752262-\$ or US-5748855-\$ or US-6014723-\$ or US-5704053-\$ or US-5745728-\$ or US-5386547-\$ or US-5021945-\$ or US-5226133-\$ or US-4885680-\$ or US-4622631-\$ or US-6205545-\$ or US-5655122-\$ or US-5625793-\$).did. or (US-20020032719-\$).did. or (EP-743598-\$).did. or (NB9203401).tban.) not (compiler and cache and recompile\$5 and profil\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 08:26
-	11	Holler.in. and cache.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 08:38
-	5	5721893.URPN.	USPAT	2004/09/09 08:31

-	53	(US-6681387-\$ or US-6513107-\$ or US-6622300-\$ or US-6487639-\$ or US-6473832-\$ or US-6442635-\$ or US-6463582-\$ or US-6415360-\$ or US-6397379-\$ or US-6356996-\$ or US-6349365-\$ or US-6314561-\$ or US-6338119-\$ or US-6308322-\$ or US-6272599-\$ or US-6301652-\$ or US-6253286-\$ or US-6253309-\$ or US-6134710-\$ or US-6249911-\$ or US-6119205-\$ or US-6085338-\$ or US-6115809-\$ or US-5930821-\$ or US-5958045-\$ or US-5980096-\$).did. or (US-5862385-\$ or US-5838946-\$ or US-5835963-\$ or US-5829038-\$ or US-5822778-\$ or US-5793941-\$ or US-5768592-\$ or US-5768500-\$ or US-5765037-\$ or US-5754820-\$ or US-5752262-\$ or US-5748855-\$ or US-6014723-\$ or US-5704053-\$ or US-5745728-\$ or US-5386547-\$ or US-5021945-\$ or US-5226133-\$ or US-4885680-\$ or US-4622631-\$ or US-6205545-\$ or US-5655122-\$ or US-5625793-\$ or US-5721893-\$).did. or (US-20020032719-\$).did. or (EP-743598-\$).did. or (NB9203401).tban.	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/09 11:13
-	31	((ad<=20000830 or @rlad<=20000830) and ((cache same thrashing) and (branch near4 predict\$5) and (instrument\$6 or heuristics or profil\$4 or optimi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 11:17
-	5	((US-6681387-\$ or US-6513107-\$ or US-6622300-\$ or US-6487639-\$ or US-6473832-\$ or US-6442635-\$ or US-6463582-\$ or US-6415360-\$ or US-6397379-\$ or US-6356996-\$ or US-6349365-\$ or US-6314561-\$ or US-6338119-\$ or US-6308322-\$ or US-6272599-\$ or US-6301652-\$ or US-6253286-\$ or US-6253309-\$ or US-6134710-\$ or US-6249911-\$ or US-6119205-\$ or US-6085338-\$ or US-6115809-\$ or US-5930821-\$ or US-5958045-\$ or US-5980096-\$).did. or (US-5862385-\$ or US-5838946-\$ or US-5835963-\$ or US-5829038-\$ or US-5822778-\$ or US-5793941-\$ or US-5768592-\$ or US-5768500-\$ or US-5765037-\$ or US-5754820-\$ or US-5752262-\$ or US-5748855-\$ or US-6014723-\$ or US-5704053-\$ or US-5745728-\$ or US-5386547-\$ or US-5021945-\$ or US-5226133-\$ or US-4885680-\$ or US-4622631-\$ or US-6205545-\$ or US-5655122-\$ or US-5625793-\$ or US-5721893-\$).did. or (US-20020032719-\$).did. or (EP-743598-\$).did. or (NB9203401).tban.) and thrashing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 11:23

-	12	(cache same overwrit\$5) and (US-6681387-\$ or US-6513107-\$ or US-6622300-\$ or US-6487639-\$ or US-6473832-\$ or US-6442635-\$ or US-6463582-\$ or US-6415360-\$ or US-6397379-\$ or US-6356996-\$ or US-6349365-\$ or US-6314561-\$ or US-6338119-\$ or US-6308322-\$ or US-6272599-\$ or US-6301652-\$ or US-6253286-\$ or US-6253309-\$ or US-6134710-\$ or US-6249911-\$ or US-6119205-\$ or US-6085338-\$ or US-6115809-\$ or US-5930821-\$ or US-5958045-\$ or US-5980096-\$).did. or (US-5862385-\$ or US-5838946-\$ or US-5835963-\$ or US-5829038-\$ or US-5822778-\$ or US-5793941-\$ or US-5768592-\$ or US-5768500-\$ or US-5765037-\$ or US-5754820-\$ or US-5752262-\$ or US-5748855-\$ or US-6014723-\$ or US-5704053-\$ or US-5745728-\$ or US-5386547-\$ or US-5021945-\$ or US-5226133-\$ or US-4885680-\$ or US-4622631-\$ or US-6205545-\$ or US-5655122-\$ or US-5625793-\$ or US-5721893-\$).did. or (US-20020032719-\$).did. or (EP-743598-\$).did. or (NB9203401).tban.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 11:49
-	21	((US-6681387-\$ or US-6513107-\$ or US-6622300-\$ or US-6487639-\$ or US-6473832-\$ or US-6442635-\$ or US-6463582-\$ or US-6415360-\$ or US-6397379-\$ or US-6356996-\$ or US-6349365-\$ or US-6314561-\$ or US-6338119-\$ or US-6308322-\$ or US-6272599-\$ or US-6301652-\$ or US-6253286-\$ or US-6253309-\$ or US-6134710-\$ or US-6249911-\$ or US-6119205-\$ or US-6085338-\$ or US-6115809-\$ or US-5930821-\$ or US-5958045-\$ or US-5980096-\$).did. or (US-5862385-\$ or US-5838946-\$ or US-5835963-\$ or US-5829038-\$ or US-5822778-\$ or US-5793941-\$ or US-5768592-\$ or US-5768500-\$ or US-5765037-\$ or US-5754820-\$ or US-5752262-\$ or US-5748855-\$ or US-6014723-\$ or US-5704053-\$ or US-5745728-\$ or US-5386547-\$ or US-5021945-\$ or US-5226133-\$ or US-4885680-\$ or US-4622631-\$ or US-6205545-\$ or US-5655122-\$ or US-5625793-\$ or US-5721893-\$).did. or (US-20020032719-\$).did. or (EP-743598-\$).did. or (NB9203401).tban.) and (bus near2 (interface or unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 11:50

-	3	(((US-6681387-\$ or US-6513107-\$ or US-6622300-\$ or US-6487639-\$ or US-6473832-\$ or US-6442635-\$ or US-6463582-\$ or US-6415360-\$ or US-6397379-\$ or US-6356996-\$ or US-6349365-\$ or US-6314561-\$ or US-6338119-\$ or US-6308322-\$ or US-6272599-\$ or US-6301652-\$ or US-6253286-\$ or US-6253309-\$ or US-6134710-\$ or US-6249911-\$ or US-6119205-\$ or US-6085338-\$ or US-6115809-\$ or US-5930821-\$ or US-5958045-\$ or US-5980096-\$).did. or (US-5862385-\$ or US-5838946-\$ or US-5835963-\$ or US-5829038-\$ or US-5822778-\$ or US-5793941-\$ or US-5768592-\$ or US-5768500-\$ or US-5765037-\$ or US-5754820-\$ or US-5752262-\$ or US-5748855-\$ or US-6014723-\$ or US-5704053-\$ or US-5745728-\$ or US-5386547-\$ or US-5021945-\$ or US-5226133-\$ or US-4885680-\$ or US-4622631-\$ or US-6205545-\$ or US-5655122-\$ or US-5625793-\$ or US-5721893-\$).did. or (US-20020032719-\$).did. or (EP-743598-\$).did. or (NB9203401).tban.) and (bus near2 (interface or unit))) and (compiler and cache and recompil\$5 and profil\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 11:52
-	15	(((US-6681387-\$ or US-6513107-\$ or US-6622300-\$ or US-6487639-\$ or US-6473832-\$ or US-6442635-\$ or US-6463582-\$ or US-6415360-\$ or US-6397379-\$ or US-6356996-\$ or US-6349365-\$ or US-6314561-\$ or US-6338119-\$ or US-6308322-\$ or US-6272599-\$ or US-6301652-\$ or US-6253286-\$ or US-6253309-\$ or US-6134710-\$ or US-6249911-\$ or US-6119205-\$ or US-6085338-\$ or US-6115809-\$ or US-5930821-\$ or US-5958045-\$ or US-5980096-\$).did. or (US-5862385-\$ or US-5838946-\$ or US-5835963-\$ or US-5829038-\$ or US-5822778-\$ or US-5793941-\$ or US-5768592-\$ or US-5768500-\$ or US-5765037-\$ or US-5754820-\$ or US-5752262-\$ or US-5748855-\$ or US-6014723-\$ or US-5704053-\$ or US-5745728-\$ or US-5386547-\$ or US-5021945-\$ or US-5226133-\$ or US-4885680-\$ or US-4622631-\$ or US-6205545-\$ or US-5655122-\$ or US-5625793-\$ or US-5721893-\$).did. or (US-20020032719-\$).did. or (EP-743598-\$).did. or (NB9203401).tban.) and (bus near2 (interface or unit))) and ("bus interface" or BIU)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 11:53